

FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6

dn: cn=managerrole, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsSimpleRole
objectclass: nsManagedRole
cn: managerrole
description: Manager Role within the Company

FIG. 7

dn: uid=pointyhair, ou=people, dc=dom, dc=ain
objectclass: top
objectclass: person
objectclass: inetorgperson
uid: pointyhair
gn: pointy
sn: hair
nsRoleDN: cn=managerrole, dc=dom, dc=ain
description: Pointy Haired Manager

FIG- 8

dn: cn= building12people, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsComplexRole
objectclass: nsFilteredRole
cn: building12people
nsRoleFilter: building=12
description: People who work in building 12

FIG. 9

dn: cn=megamanagerrole, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsComplexRole
objectclass: nsNestedRole
cn: megamanaggerrole
nsRoleDN: cn=managerrole, dc=dom, dc=ain
nsRoleDN: cn=networkmanager, dc=dom, dc=ain
description: Super Manager Role within the
Company

FIG. 10

dn: cn=peonrole, dc=dom, dc=ain
objectclass: top
objectclass: LDAPsubentry
objectclass: nsRole
objectclass: nsComplexRole
objectclass: nsEnumeratedRole
objectclass: groupofuniqueNames
cn: peonrole
groupmember: uid=dboreham, ou=people, dc=dom, dc=ain
groupmember: uid=merrells, ou=people, dc=dom, dc=ain
groupmember: uid=claire, ou=people, dc=dom, dc=ain
description: Lowest of the Low Roles within the Company

FIG-11




FIG.12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG 17

Dn:cn=messaging_server_cos, ou=people, o=acme

objectclass: top

objectclass: LDAPSubentry

objectclass: cosSuperDefinition

objectclass: cosClassicDefinition

cosTemplate

Dn: cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot

cosSpecifier: mailServiceClass

cosAttribute: mailboxquota

cosAttribute: maysendexternalmail

FIG. 18

dn: cn=user, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot
objectclass: top
objectclass: mailserveruser
objectclass: cosTemplate
mailboxquota: 10000000
maysendexternalmail: TRUE

dn: cn=guest, cn=MailServerCOS, cn=LocalConfig, o=NetscapeRoot
objectclass: top
objectclass: mailserveruser
objectclass: cosTemplate
mailboxquota: 1000000
maysendexternalmail: FALSE

FIG-19




FIG. 20




FIG.21

dn: cn=messaging_server_cos, ou=people, o=acme
objectclass: top
objectclass: LDAPSubentry
objectclass: cosSuperDefinition
objectclass: cosPointerDefinition
cosTemplateDn: ou=people, o=acme
cosAttribute: facsimilieTelephoneNumber default




FIG - 23

dn: cn=messaging_server_cos, ou=people, o=acme
objectclass: top
objectclass: LDAPSubentry
objectclass: cosSuperDefinition
objectclass: cosIndirectDefinition
cosIndirectSpecifier: manager
cosAttribute: accountingCode

FIG - 24